



Issuing Date 18-Dec-2014	Revision Date 18-Dec-2014	Revision Number 0			
Section 1. Identification of the substance/mixture and of the company/undertaking					
<u>1.1. Product identifier</u> Product Code(s)	122				
Product Name	JET-LUBE® RUN N SEAL® EXTREME				
Synonyms	RUN N SEAL® EXTREME				
1.2. Relevant identified uses of the Recommended Use	e substance or mixture and uses advised ag Lubricants, Greases and Release Products,				
Uses advised against	No information available				
1.3. Details of the supplier of the s					
Importer Jet-Lube (UK) Ltd Jet-Lube House Reform Road Maidenhead Berkshire UK SL6 8BY TEL: 44 1628-631913 (8:00 a.m 5: p.m.)	Company Jet-Lube, Inc. 4849 Homestead Rd. Suite 232 Houston, Texas 77028 TEL: 713-670-5700 (7:00 a.m 5 p.m.)				
For further information, please cor					
E-mail Address	doldiges@jetlube.com				
<u>1.4. Emergency telephone number</u> Emergency Telephone Number	, CHEMTREC: +1-703-527-3887 (INTERNAT 1-800-424-9300 (NORTH AMERICA)	TONAL)			
Europe	112				
	Section 2. Hazards identifica	tion			
2.1 Classification of the substance or mixture REGULATION (EC) No 1272/2008 The product is not classified as dangerous according to Regulation (EC) No. 1272/2008 Physical Hazards None Classification according to EU Directives 67/548/EEC or 1999/45/EC The preparation is classified as dangerous in accordance with Directive 1999/45/EC.					
Symbol(s) Not dangerous For the full text of the R-phrases mentioned in this Section, see Section 16					

<u>2.2. Label Elements</u> The product is not classified as dangerous according to Regulation (EC) No. 1272/2008

Signal Word

None

2.3. Other information

Section 3. Composition/information on ingredients

3.1. Substances

Chemical Name	EC-No	CAS-No	Weight %	Classification	EU - GHS Substance Classification	REACH No.
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	278-011-7	74869-21-9	40-60	-	-	No data available
Graphite	231-955-3	7782-42-5	20-25	-		No data available
Talc	238-877-9	14807-96-6	5-10	-		No data available
Mica	EEC No. 310-127-6	12001-26-2	5-10	-		No data available
Calcium oxide	Present	1305-78-8	1-2	-		No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

For the full text of the H-Statements mentioned in this Section, see Section 16

Note

The full refining history is known for this product and it can be shown that the substance from which it is produced is not a carcinogen. This note applies only to certain complex oil derived substances in Annex I.

Section 4. First aid measures

4.1. Description of first-aid measures

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.		
Skin Contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.		
Ingestion	Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting without medical advice.		
Inhalation	Move to fresh air.		
4.2. Most important symptoms and effects, both acute and delayed			
Most Important Symptoms/Effects	No information available.		
4.3. Indication of immediate medical attention and special treatment needed			
Notes to Physician	Treat symptomatically.		

Section 5. Fire-fighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Dry powder. Carbon dioxide (CO₂). Foam. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases Burning produces obnoxious and toxic fumes. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Halogenated compounds

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and materials for containment and cleaning up

Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

6.4. Reference to other sections

See Section 12 for additional information.

Section 7. Handling and storage

7.1. Precautions for Safe Handling

Handling

Wear personal protective equipment. Ensure adequate ventilation. Wash thoroughly after handling.

Hygiene Measures

When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Exposure Scenario No information available.

Other Guidelines

No information available.

Section 8. Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

WPS-JLI-010CLP - JET-LUBE® RUN N SEAL® EXTREME

Chemical Name	EU	The United Kingdom	France	Spain	Germany
Graphite 7782-42-5		STEL: 30 mg/m ³ STEL: 12 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³	VME: 2 mg/m ³	VLA-ED: 2 mg/m ³	MAK: 1.5 mg/m ³ MAK: 4 mg/m ³
Talc 14807-96-6		STEL: 3 mg/m ³ TWA: 1 mg/m ³		TWA: 2 mg/m ³	
Mica 12001-26-2		STEL: 2.4 mg/m ³ STEL: 30 mg/m ³ TWA: 0.8 mg/m ³ TWA: 10 mg/m ³		VLA-ED: 3 mg/m ³	
Calcium oxide 1305-78-8		STEL: 6 mg/m ³ TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	
Component	Italy	Portugal	The Netherlands	Finland	Denmark
Graphite 7782-42-5 (20-25)		TWA: 2 mg/m ³		TWA: 2 mg/m ³	TWA: 2.5 mg/m ³
Talc 14807-96-6(5-10)		TWA: 2 mg/m ³	TWA: 0.25 mg/m ³	TWA: 0.5 fiber/cm3 TWA: 5 mg/m ³	TWA: 0.3 fiber/cm3
Mica 12001-26-2(5-10)		TWA: 3 mg/m ³			
Calcium oxide 1305-78-8 (1-2)		TWA: 2 mg/m ³		TWA: 2 mg/m ³	TWA: 2 mg/m ³
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Graphite 7782-42-5	STEL 10 mg/m ³ MAK: 5 mg/m ³	MAK: 2.5 mg/m ³ MAK: 5 mg/m ³	NDS: 4.0 mg/m ³ NDS: 1.0 mg/m ³ NDS: 6.0 mg/m ³	TWA: 5 mg/m ³ TWA: 2 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 10 mg/m ³ STEL: 4 mg/m ³ STEL: 20 mg/m ³ STEL: 8 mg/m ³	TWA: 10 mg/m ³ TWA: 4 mg/m ³
Talc 14807-96-6	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 4.0 mg/m ³ TWA: 1.0 mg/m ³	TWA: 6 mg/m ³ TWA: 2 mg/m ³ STEL: 12 mg/m ³ STEL: 4 mg/m ³	TWA: 10 mg/m ³ TWA: 0.8 mg/m ³
Mica 12001-26-2	MAK: 10 mg/m ³	MAK: 3 mg/m ³		TWA: 6 mg/m ³ TWA: 3 mg/m ³ STEL: 12 mg/m ³ STEL: 6 mg/m ³	TWA: 10 mg/m ³ TWA: 0.8 mg/m ³
Calcium oxide	STEL 4 mg/m ³ TWA: 2 mg/m ³	STEL: 2 mg/m ³ TWA: 2 mg/m ³	STEL: 6 mg/m ³ TWA: 2 mg/m ³	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³

Derived No Effect Level Predicted No Effect Concentration No information available. (PNEC)

No information available

8.2. Exposure controls

Engineering Measures	Ensure adequate ventilation, especially in confined areas.	
Personal protective equipment		
Eye Protection	Safety glasses with side-shields.	
Skin and Body Protection	Long sleeved clothing.	
Hand Protection	Protective gloves.	
Respiratory Protection	None required under normal usage. Respirator must be worn if exposed to dust.	
Environmental Exposure Controls	Local authorities should be advised if significant spillages cannot be contained. Do not	

allow material to contaminate ground water system. Prevent product from entering drains.

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

WPS-JLI-010CLP - JET-LUBE® RUN N SEAL® EXTREME

Physical State	Semi-fluid (gel).	Appearance	Black
Odor	Petroleum Oil-Pungent.		
Property_	Values	Remarks/	- Method
рН	Neutral	None know	'n
Melting Point/Range	260 °C / 500 °F	None know	'n
Boiling Point/Boiling Range	< 316 °C / 600.8 °F	None know	'n
Flash Point	> 221 °C	None know	'n
Evaporation rate	No data available	None know	'n
Flammability (solid, gas)	No data available	None know	'n
Vapor Pressure	No data available	None know	'n
Vapor Density	No data available	None know	'n
Relative Density	1.27	None know	'n
Water Solubility	Negligible	None know	'n
Solubility in other solvents	Largely	None know	'n
Partition coefficient: n-octane	ol/waterNo data available	None know	'n
Autoignition Temperature	No data available	None know	'n
Decomposition Temperature	No data available	None know	'n
Viscosity	No data available	None know	'n
Explosive Properties	No information available	9	
Oxidizing Properties	No information available	9	
9.2. Other information			
VOC Content (%)	Negligible		
Flammability Limits in Air	No information available	9.	
		, bility and reactivity	

Section 10. Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Incompatible products.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

None under normal use.

Section 11. Toxicological information

<u>11.1.</u>

Acute Toxicity	
Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	None known.
Eye Contact	None known.
Skin Contact	None known.
Ingestion	Not an expected route of exposure. May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Lubricating greases	= 2280 mg/kg (Rat)				
A complex combination of					
hydrocarbons having carbon					
numbers predominantly in the range					
of C12 through C50. may contain					
organic salts of alkali metals,					
alkaline earth metals, etc.					
Calcium oxide	= 500 mg/kg (Rat)				
Sensitization	No information available.				
Mutagenic Effects	None known.				
Carcinogenic Effects	None known.				
Reproductive Toxicity	None known.				
Developmental Toxicity	None known.				
STOT - single exposure	None known				
STOT - repeated exposure	No information available.				
Tannal Onnen Effects	Europa Olive Departmentante Departmente				

Target Organ Effects Aspiration Hazard

Eyes. Skin. Respiratory system. Bone. Lungs. Not applicable

Section 12. Ecological information

12.1. Toxicity

Ecotoxicity Effects

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	>1001 mg/l	LC50 96 h: > 2000 mg/L (Salmo gairdneri)		
Talc		LC50 96 h: > 100 g/L semi-static (Brachydanio rerio)		
Calcium oxide		LC50 96 h: = 1070 mg/L static (Cyprinus carpio)		
Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to aquatic invertebrates
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	EC50 >1001 mg/l	LC50 >1000 mg/l		LC50 = 247.2 mg/l

12.2. Persistence and degradability

Not readily biodegradable.

12.3. Bioaccumulative potential.

No information available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

This product does not contain any known or suspected endocrine disruptors.

Section 13. Disposal considerations

13.1. Waste treatment methods

Waste from Residues / Unused Products	Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
Other Information	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

Section 14. Transport information

IMDG/IMO

ıble.

WPS-JLI-010CLP - JET-LUBE® RUN N SEAL® EXTREME

ICAO	
14.1. UN-Number	Not regulated.
14.2. Proper shipping name	Not regulated.
14.3. Hazard Class	Not regulated.
14.4. Packing Group	Not regulated.
Description	Not applicable.
14.5. Environmental hazard	None.
14.6. Special Provisions	None.
IATA	
14.1. UN-Number	Not regulated.
14.2. Proper Shipping Name	Not regulated.
14.3. Hazard Class	Not regulated.
14.4. Packing Group	Not regulated.
Description	Not applicable.
14.5. Environmental hazard	None.
14.6. Special Provisions	None.

Section 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK Classification

Water endangering class = nwg

International Inventories

TSCA	Complies
EINECS/ELINCS	Complies
DSL/NDSL	Complies
PICCS	Complies
ENCS	Complies
IECSC	Complies
AICS	Complies
KECL	Complies

Legend

TSČA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List PICCS - Philippines Inventory of Chemicals and Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances AICS - Australian Inventory of Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical Safety Assessment

No information available

Section 16. Other information

Full text of R-phrases referred to under Sections 2 and 3 Not applicable

Key literature references and sources for data www.ChemADVISOR.com/

Issuing Date18-Dec-2014Revision Date18-Dec-2014

Revision Note

Initial Release.

This safety data sheet complies with the requirements of Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No. 1907/2006

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet