



This SDS conforms to REACH SDS CLP regulation 2015/830.

Issuing Date 18-Dec-2014

Revision Date 06-Feb-2018

**Revision Number** 1

U

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# Section 1: Identification of the substance/mixture and of the company/undertaking

|--|

Product Name 769 LUBRICANT® AEROSOL

Chemical nameSynonyms769 AEROSOL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Lubricants, Greases and Release Products.

**Uses advised against** No information available.

# 1.3. Details of the supplier of the safety data sheet

Importer	Manufacturer
Jet-Lube (UK) Ltd	Jet Lube, LLC
Jet-Lube House	930 Whitmore Drive
Reform Road, Maidenhead	Rockwall, Texas USA 75087
Berkshire UK	TEL: +1-713-670-5700 (8am-5pm CST)
SL6 8BY	
TEL: 44 1628-631913 (8:00 a.m	
5:00p.m. GMT)	
For further information, please conta	<u>ct.</u>
Responsible Persons F	Regulatory Affairs Manager - Thomas Hansen

Responsible PersonsRegulatory Anars Manager - Thomas HansenE-mail Addressthomas.hansen@jetlubecanada.comNon-Emergency Telephone+44-1628-631913 (JL UK Office) +1-780-463-7441 (JL Canada)

# 1.4. Emergency telephone number

Emergency Telephone Number 44 1628-631913

Emergency telephone §45 - (EC)1272/2008			
Europe	112		
Austria	Poison Information Center (AT): +43-(0)1-406 43 43		



Belgium	Poison Center (BE): +32 70 245 245		
Denmark	Poison Control Hotline (DK): +45 82 12 12 12		
Finland	Poison Information Centre (FI): +358 9 471 977		
France	ORFILA (FR): + 01 45 42 59 59		
Germany	Poison Center Berlin (DE): +49 030 30686 790 (24 h service, Advice in German and English)		
Ireland	National Poisons Information Centre (IE): +353 1 8379964		
Italy	Poison Center, Milan (IT): +39 02 6610 1029		
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)		
Norway	Poisons Information (NO): + 47 22 591300		
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97		
Portugal	Poison Information Center (PT): +351 21 330 3284		
Spain	Poison Information Service (ES): +34 91 562 04 20		
Sweden	Poisons Information Center (SV): +46 8 33 12 31		
Switzerland	Poison Center (CH): Tel 145: +41 44 251 51 51		
United Kingdom	NHS Direct (UK): +44 0845 46 47		

# Section 2: Hazards Identification

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 2015/830

Aspiration toxicity	Category 1 - (H304)
Chronic aquatic toxicity	Category 3 - (H412)
Gases Under Pressure	Compressed Gas - (H280)
Flammable liquids	Category 4 - (H227)

# 2.2. Label elements



# Signal word

Danger

# **Hazard Statements**

- H304 May be fatal if swallowed and enters airways
- H412 Harmful to aquatic life with long lasting effects
- H227 Combustible liquid
- H280 Contains gas under pressure; may explode if heated

# Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection

- P308 + P313 IF exposed or concerned: Get medical advice/attention
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor



# P331 - Do NOT induce vomiting

# Additional information

This product requires tactile warnings if supplied to the general public

This product requires child resistant fastenings if supplied to the general public

This product requires child resistant fastenings when supplied to the general public unless the product is placed on the market in the form of aerosols or in a container with a sealed spray attachment

#### 2.3. Other hazards

No information available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substances

Not applicable.

# 3.2 Mixtures

Chemical name	EC No	CAS-No	Percent	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Reg. No.
Petroleum distillates, hydrotreated light	265-149-8	64742-47-8	60-65	Asp. Tox. 1 (H304)	01-2119471299- 27-XXXX
Petroleum distillates, solvent dewaxed heavy paraffinic	265-169-7	64742-65-0	20-25	No data available	01-2119484819- 18-XXXX
Carbon dioxide	204-696-9	124-38-9	2-5	No data available	No data available

# Full text of H- and EUH-phrases: see section 16

#### Note

The producer of "64742-65-0" declares that it contains less than 3% DMSO extractable material by IP-346 The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil derived substances in Annex I

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# Section 4: First aid measures

# 4.1. Description of first aid measures

General advice	IF exposed or concerned: Get medical advice/attention. Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.



Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing.	
Ingestion	Aspiration hazard if swallowed - can enter lungs and cause damage. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.	
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness.	
4.3. Indication of any immediate medical attention and special treatment needed		

**Note to physicians** Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.

# Section 5: FIRE FIGHTING MEASURES

# 5.1. Extinguishing media

**Suitable Extinguishing Media** Dry chemical, Carbon dioxide (CO2), Water spray, Alcohol resistant foam.

Unsuitable extinguishing media No information available.

# 5.2. Special hazards arising from the substance or mixture

#### Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray.

#### Hazardous Combustion Products

Carbon oxides.

# 5.3. Advice for firefighters

# Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

# Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

# **Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Take precautionary measures against static

	discharges. Do not touch or walk through spilled material. Ensure adequate ventilation.
Other Information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.
6.3. Methods and material for co	ontainment and cleaning up
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.

# Section 7: HANDLING AND STORAGE

# 7.1. Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Do not breathe vapor or mist. Keep away from heat/sparks/open flames/hot surfaces No smoking. Take precautionary measures against static discharges. Use with local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.

General Hygiene Considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

# 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

# 7.3. Specific end use(s)

# **Risk Management Methods** The information required is contained in this Material Safety Data Sheet. **(RMM)**

# 8.1. Control parameters

# **Exposure Limits**

Chemical name	EU	United Kingdom	France	Spain	Germany
Petroleum distillates,	-	-	-	VLA-EC: 10	-
solvent dewaxed				mg/m <sup>3</sup> VLA-EC	
heavy paraffinic 64742-65-0				VLA-ED: 5 mg/m <sup>3</sup> VLA-ED	
Carbon dioxide	TWA 5000 ppm	TWA: 5000 ppm	TWA: 5000 ppm	TWA: 5000 ppm	TWA: 5000 ppm
124-38-9	TWA 9000 mg/m <sup>3</sup>		TWA: 9000 mg/m <sup>3</sup>		
		STEL: 15000 ppm			
		STEL: 27400			
		mg/m³			
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Petroleum distillates,	-	STEL: 10 mg/m <sup>3</sup>	-	TWA: 5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
solvent dewaxed		TWA: 5 mg/m <sup>3</sup>			
heavy paraffinic 64742-65-0					
Carbon dioxide	TWA: 5000 ppm	TWA: 5000 ppm	TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm	TWA: 5000 ppm
124-38-9				TWA: 9000 mg/m <sup>3</sup>	TWA: 9000 mg/m <sup>3</sup>
121000	1117 (1 0000 mg/m	STEL: 30000 ppm		TWA: 9100 mg/m <sup>3</sup>	1 W/ (: 0000 mg/m
				0	
	STEL: 30000 ppm				
	STEL: 54000				
	mg/m <sup>3</sup>			N	
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Petroleum distillates, solvent dewaxed	-	-	NDSCh: 10 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	-
heavy paraffinic			NDS: 5 mg/m <sup>3</sup>	STEL: 3 mg/m <sup>3</sup>	
64742-65-0					
Carbon dioxide	STEL: 10000 ppm	TWA: 5000 ppm	TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm	TWA: 5000 ppm
124-38-9	STEL: 18000	TWA: 9000 mg/m <sup>3</sup>			TWA: 9000 mg/m <sup>3</sup>
	mg/m³	Ŭ	mg/m³	STEL: 5000 ppm	STEL: 15000 ppm
	TWA: 5000 ppm			STEL: 9000	STEL: 27000
	TWA: 9000 mg/m <sup>3</sup>			mg/m <sup>3</sup>	mg/m <sup>3</sup>
Chemical name	Romania	Ukraine TLVs	Sweden TLVs	Hungary	Turkey TLVs
Carbon dioxide	TWA: 5000 ppm			TWA: 9000	
124-38-9	TWA: 9000			mg/m <sup>3</sup>	
	mg/m <sup>3</sup>				

# Derived No Effect Level (DNEL) No information available

# Predicted No Effect Concentration (PNEC) No information available

# 8.2. Exposure controls

# Personal protective equipment

Eye/face protection	Tight sealing safety goggles. If splashes are likely to occur, wear safety glasses with side-shields.
Hand Protection	Wear suitable gloves. Protective gloves. Nitrile rubber. Neoprene gloves. Rubber gloves.

Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Environmental exposure controls	No information available.

# **Section 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state Appearance Odor Color Odor Threshold	Liquid Aerosol Amber Petroleum No information available Not applicable	
Property	<u>Values</u>	Remarks Method
pH Malting / fragming paint	7	
Melting / freezing point	-50 °C	None known
Boiling point / boiling range Flash Point	199-260 °C	
Evaporation Rate	> 75 °C No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air	NO Udla avaliable	
Upper flammability limit		None known
	No data available	
Lower flammability limit	No data available	N
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	0.83	
Water Solubility	Slightly soluble	
Solubility(ies)	Completely soluble	None known
Partition coefficient: n-octanol/water	3.3-6	
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Viscosity	4.5 -6 cSt (@ 40°C)	None known
9.2. Other information		
Softening Point	No information available	
Molecular Weight	No information available	
VOC Content (%)	No information available	
Liquid Density	No information available	
Bulk Density	No information available	
Particle Size	No information available	
Deutiele Cine Distribution	No information available	

No information available

# Section 10: Stability and reactivity

# 10.1. Reactivity

No data available.

# 10.2. Chemical stability

**Particle Size Distribution** 

Stable under normal conditions.

Explosion Data Sensitivity to Mechanical Impact No Sensitivity to Static Discharge No		
10.3. Possibility of hazardous reactions		
Possibility of Hazardous Reactions	None under normal processing.	
Hazardous Polymerization	Hazardous polymerization does not	
10.4. Conditions to avoid		
Heat, flames and sparks.		
10.5. Incompatible materials		
No information available.		
10.6. Hazardous decomposition products		

Carbon oxides.

# Section 11: Toxicological information

occur.

# 11.1. Information on toxicological effects

# Information on likely routes of exposure

# **Product Information**

Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation.
Skin contact	Repeated exposure may cause skin dryness or cracking.
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

# Information on toxicological effects

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

# Numerical measures of toxicity

**Acute Toxicity** 

#### Unknown acute toxicity

- 100 % of the mixture consists of ingredient(s) of unknown toxicity
- 100 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 100 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

# **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates,	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
hydrotreated light			
Petroleum distillates, solvent	> 15000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	>4.7 mg/l (rat) 4 hr.
dewaxed heavy paraffinic			
Carbon dioxide	-	-	470000 ppm (Rat)

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	n No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	See section 2 for classified hazards based on component information. Classification based on individual ingredients of the mixture. If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS.
Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	May be fatal if swallowed and enters airways.

# Section 12: Ecological information

# 12.1. Toxicity

Ecotoxicity	Toxic to aquatic life with long lasting effects			
Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna



			Microorganisms	(Water Flea)
Petroleum distillates,	-	LC50 96 h: = 45 mg/L	-	LC50 96 h: = 4720
hydrotreated light		flow-through		mg/L
		(Pimephales promelas)		(Den-dronereides
		LC50 96 h: = 2.2 mg/L		heteropoda)
		static (Lepomis		
		macrochirus) LC50 96		
		h: = 2.4 mg/L static		
		(Oncorhynchus		
		mykiss)		
Petroleum distillates,	-	LC50 96 h: > 5000	-	EC50 48 h: > 1000
solvent dewaxed		mg/L (Oncorhynchus		mg/L (Daphnia
heavy paraffinic		mykiss)		magna)

# 12.2. Persistence and degradability

Persistence and Degradability Expected to be biodegradable.

# 12.3. Bioaccumulative potential

**Bioaccumulation** No information available.

12.4. Mobility in soil

Mobility in soil No information available.

# 12.5. Results of PBT and vPvB assessment

# **PBT and vPvB assessment** No information available.

Chemical name	PBT and vPvB assessment
Petroleum distillates, hydrotreated light	The substance is not PBT / vPvB
Petroleum distillates, solvent dewaxed heavy paraffinic	The substance is not PBT / vPvB

#### 12.6. Other adverse effects

Other adverse effects No information available.

# **Section 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.	
Contaminated packaging	No information available.	
Costion 44. Transport information		

# Section 14: Transport information

IMDG/IMO	
14.1 UN-No.	UN1950
14.2 Proper Shipping Name	Aerosols



Description 14.3 Hazard Class Subsidiary class 14.4 Packing Group 14.5 Marine Pollutant 14.6 Special Provisions EmS-No. 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code	UN1950, Aerosols, 2.2 (See SP63) 2 See SP63 NOT REGULATED Not applicable None 63,190, 277, 327, 344, 959 F-D, S-U No information available
RID14.1 UN-No.14.2 Proper Shipping Name Description14.3 Hazard Class14.4 Packing Group14.5 Environmental hazard14.6 Special Provisions Classification code	UN1950 Aerosols UN1950, Aerosols, 2.2 2 NOT REGULATED Not applicable None 5A
ADR 14.1 UN-No. 14.2 Proper Shipping Name Description 14.3 Hazard Class 14.4 Packing Group 14.5 Environmental hazard 14.6 Special Provisions Classification code Tunnel restriction code	UN1950 Aerosols UN1950, Aerosols, 2.2, (E) 2 NOT REGULATED Not applicable None 327, 625, 344, 190 5A (E)
IATA 14.1 UN-No. 14.2 Proper Shipping Name Description 14.3 Hazard Class 14.4 Packing Group 14.5 Environmental hazard 14.6 Special Provisions	UN1950 Aerosols, non-flammable UN1950, Aerosols, non-flammable, 2.2 2.2 NOT REGULATED Not applicable None A145, A167, A98, A802

# Section 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# National regulations

France

#### **Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number	Title
Petroleum distillates, hydrotreated light	RG 84	-
64742-47-8		
Carbon dioxide	RG 5,RG 14,RG 15,RG 15bis,RG	-



# - 769 LUBRICANT® AEROSOL

124-38-9	20bis	

# **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

# Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	Restricted substance per REACH	Substance subject to authorization per
	Annex XVII	REACH Annex XIV
Petroleum distillates, solvent dewaxed	Use restricted. See item 28.	
heavy paraffinic - 64742-65-0		

# Persistent Organic Pollutants

Not applicable.

# Dangerous substance category per Seveso Directive (2012/18/EU)

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

# Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable.

# International Inventories

TSCA	Complies.
DSL/NDSL	Complies.
EINECS/ELINCS	Complies.
ENCS	Not determined.
IECSC	Contact supplier for inventory compliance status.
KECL	Not determined.
PICCS	Not determined.
AICS	Complies.

Legend

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# 15.2. Chemical safety assessment

No information available.

# Key or legend to abbreviations and acronyms used in the safety data sheet

# Full text of H-Statements referred to under sections 2 and 3



H304 - May be fatal if swallowed and enters airways

- H412 Harmful to aquatic life with long lasting effects
- H280 Contains gas under pressure; may explode if heated

H227 - Combustible liquid

# Legend

SVHC: Substances of Very High Concern for Authorization:

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	-	Skin designation

# Key literature references and sources for data

www.ChemADVISOR.com/

Issuing Date	18-Dec-2014
Revision Date	06-Feb-2018

This safety data sheet complies with the requirements of: Regulation (EC) No. 2015/830

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

